AUTHOR INDEX

Abd-el-Raouf, A. M., 521
Aboudi, J., 241
Abramovich, H., 371
Adali, S., 305
Araújo, A. L., 277

Bert, C. W., 477
Birman, V., 477
Blagojević, P., 45
Bonifazi, G., 121
Bonora, N., 139
Braga, A. M. B., 449
Brandt, A. M., 51

Cândido, G. M., 287
Caneva, C., 121
Chen, G. S., 101
Chen, J. R., 101
Chen, L. W., 345
Chen, R. S., 101
Chen, V. L., 267
Chiu, J. W., 381
Chiu, W. K., 201
Clarke, M. P., 113
Costanzi, M., 139

Daudeville, L., 547
Dawe, D. J., 77, 353
de Freitas, M. M., 579
Delaunoy, J.-M., 485

El-Soaly, E. E., 521
Engblom, J. J., 69
Feldman, E., 241

Gamby, D., 325
Ganesan, N., 541
Ghoneam, S. M., 521

Hamada, A. A., 521
Hamada, H., 61, 95, 407
Hart-Smith, L. J., 3
Hellbom, K., 567
Hirano, T., 95
Hsiao, K. M., 503
Hsu, C.-S., 439

Idlbi, A., 495
Ireman, T., 567
Jackson, R. H., 227
Jenq, S. T., 427
Jeong, K. S., 313
Jones, R., 201

Kam, T. Y., 503
Karama, M., 495
Kim, C.-D., 477
Kim, K. S., 313
Kiyosumi, K., 95
Ko, T.-C., 217
Ko, W. L., 227
Kwak, Y. K., 313
Kwon, Y. W., 187

Laananen, D. H., 469
Ladevèze, P., 547
Lan, T., 345
Łatas, W., 295
Lee, D. G., 313
Lim, E. H., 419
Lima, W. J. N., 449
Lin, Chen-Chung, 397
Lin, Chien-Chang, 157, 209, 217
Lin, C.-H., 209
Lin, S.-C., 503
Lin, P. D., 345
Liu, S., 257

Livshits, A., 371
Loughlan, J., 485

Maekawa, Z., 61, 95, 407
Maekawa, Y., 61
Marchetti, M., 139
Marks, M., 51
Marzouk, W. W., 193
Metz, V. H., 37
Mohd, S., 353
Morii, T., 95
Moreira de Freitas, M., 277
Mori, S., 61
Mota Soares, C. M., 277, 579
Mottram, J. T., 387
Muc, A., 295
Müller de Almeida, S. F., 287

Nabi, S. M., 541
Nishiwaki, T., 61
Nyman, T., 567

Okumura, T., 407
Olivieri, S., 121
Osman, M. Y., 529
Overd, M. L., 557

Pandey, M. D., 363
Paul, J., 201
Pavier, M. J., 113
Pedersen, P., 277
Pidaparti, R. M. V., 89
Purkiss, J. A., 45

Rammerstorfer, F. G., 129
Rao, K. P., 459
Rebière, J. L., 325
Reddy, J. N., 21
Renze, S. P., 469
Ryś, J., 295

Santulli, C., 121
Savoia, M., 587
Sherbourne, A. N., 363
Sheu, S. L., 427
Silva, A., 579
Skrna-Jakl, I., 129
Soldatos, K. P., 165
Summers, E. B., 305
Swanson, S. R., 249

Tanimoto, T., 95
Tay, T. E., 419
Thomsen, O. T., 511
Thuis, H. G. S. J., 37
Timarci, T., 165
Touratier, M., 495
Travassos, J., 579
Tripathy, B., 459
Tullini, N., 587
Turvey, G. J., 529

Verijenko, V. E., 173, 305

Wang, J. T.-S., 157
Wang, S., 77
Wu, C.-P., 397, 439
Wu, C. M. L., 339
Wu, H.-Y. T, 267

Yang, S. M., 381
Yang, Q., 69
Yeh, H.-Y., 267
Yokoyama, A., 61, 407

Composite Structures (25) (1993) — © 1993 Elsevier Science Publishers Ltd, England. Printed in Great Britain

Composite Structures **25** (1993) 596–600

SUBJECT INDEX

ABAQUS computer code, 495, 499
Acoustic emission
  compression test monitoring by, 123–8
  residual life characterization by, 125–8
Adhesive bonding
  adhesive interface element for laminated plates, 217–25
  bonded assembly configuration, 388
  creep properties, 392–4
  design for damage-tolerant, 201–7
  design methodology, 202–5
  implications for co-cured composite joints, 206–7
  loading rate dependent analysis, 205–6
  long-term tests, 390–1, 391–4
  maximum load carrying capacity, 202–3
  problem description, 217–18
  pultruded beam assemblies, 387–95
  short-term tests, 389–91
  specimen details, 388–9
  stress analysis of joints, 217
  three-point bend test, 388
ADS (Automated Design Synthesis) program, 280
Advanced Composite Construction System (ACCS), 387
Airy's stress function for plates, 143–4
Angle-ply laminated plates, 529–39
  constitutive relations, 531
  initial flexural failure results, 533–6
  strain and curvature relations, 531
ANSYS finite element package, 516
Anthropomorphic robot, 313–24
  comparisons of composite forearm and steel forearm, 321–2
  deflection of robot arm
    by static loads, 315–18
    model, 317
  design and manufacture of composite transmission shafts, 319
  design and manufacture of joints, 319–21
  design and manufacture of robot arm, 318
  dimensions and angular displacements of steel and composite hollow drive shafts, 319
  effects of bonding length on maximum static torque transmission capability, 320
  forearm configuration, 315
  joint components of composite arm and hollow drive shafts, 320
  mass distributions of forearm, 316
  mechanical model of forearm, 316
  model of forearm, 317
  model of robot arm, 317
  specifications, 314
Artificial damage techniques
  comparison with real damage, 119–20
  low velocity impact, 113–20
  mapping function of implants, 119
  residual strengths of damaged specimens, 119
  review of past methods, 113–16
Artificial delamination
  materials tested, 114–15
  techniques, 114
  test results, 114–15
Australian Civil Aviation Authority (CAA), 201–7

Bead-stiffened panels, 469–76
Bending
  derivation of complete solution by superposition, 515–16
  derivation of local bending solution, 514–15
  sandwich plates, 511–20
    parametric effects, 518–19
  T-beams, 579–86
Bernoulli–Euler beam functions, 357
Biaxial strengths, comparison with other predictions, 13–17
Biaxial stresses in failure theories, 3–20
Biaxial test specimen
  defective, 10
  demonstrating identical biaxial strengths of 0°/90° and ±45° laminates, 11
Biaxial testing in failure mechanisms, 7
BLACKART computer code, 17
Bolted joints
  design diagrams, 573
  design methods, 567–78
    including solution of contact problem, 572–3
    simple analytically based, 571–2
  failure criteria, 571–2, 573
  failure prediction, 575–7
  load distribution analysis, 568
  numerical results, 573–5
  orthotropic composite plates under uniform loading, 209–15
  strength analysis, 212–13
  stress analysis, 210–12, 568–71, 572
Bonded joints. *See* Adhesive bonding
Boundary element method, 210, 213
Boundary fixations, eigen analysis of laminated plates, 521–8
Boundary layer problem in delamination analysis, 550–1
Buckling
  critical load *vs.* bead flexural rigidity, 474
  determination of effective flat plate size, 473
  finite element methods, 462
  general partial edge loading buckling mode, 491
  general shear buckling mode, 490
  influence of pre-buckling stress-field on critical loads of inhomogeneous composite laminates, 363–9
  local partial edge loading buckling mode, 491
  local shear buckling mode, 490
  of anisotropic simply supported curved plates under shear loading, 359–60
  of isotropic flat square plates, 359
  of open-section bead-stiffened composite panels, 469–76
    analysis results, 473–4
    closed-form solutions, 471–3
  of pear-shaped cylinders with diaphragm ends under axial loading, 360–1
  of plain and discretely stiffened composite axisymmetric shell panels shells, 459–67
  of spherical shells, 299
  of stiffened plates
    effect on loading configuration, 485–94
    effects of fibre orientation, 485–94
  of thin laminated composite, prismatic shell structures, 353–62
  optimum design for, 459–67
  optimum lay-up, 462
Buckling—*contd.*
  postbuckling behaviour of metal matrix composites (MMC), 241–8
  postbuckling response of SiC/Ti metal matrix laminated panels, 244
  pre-buckling stress analysis, 364–5
  pre-buckling stress fields, 363–9
  pre-buckling stresses resulting from partial edge loading, 491
  shear buckling capacity of single transverse stiffener arrangement, 492
  shear buckling strengths of MMC sandwich panels, 235, 237, 239
  thermal, 345–52
  uniaxial behaviour of composite laminates, 363–9
Buckling analysis
  combined compressive and shear, of metal matrix composite sandwich plates, 227
  inhomogeneous composite laminates, 365
  numerical results, 232
  see also Postbuckling analysis
Buckling equation, combined-load, 229
Buckling interaction curves, 232, 233
Buckling interaction surfaces, 237, 238
Buckling load factors, rank ordered list of, 463–6
Buckling loads, experimental verification of, 474–5
Buckling strengths of honeycomb-core sandwich panels, 234

Cantilever beams, equations of motion, 373–6
Cantilever plate
  cylindrical bending of, 32
  failure probability of, 510
Cantilevered curved composite panels, 89–93
Carbon composite materials, repair of fatigue failures, 557–65
Carbon fibre composites, artificial damage techniques for low velocity impact, 113–20
Carbon fibre/epoxy composites
  anthropomorphic robot, 313–24
  properties of, 318
Carbon/epoxy laminates
  mechanical properties of, 289
  tensile strength of, 287–303
Carbon–resin laminates, delamination analysis, 547–55
Cement-based composites
  application of multi-criteria optimization to design, 54
  examples of material optimization, 54–9
  material optimization, 51–3
  multi-criteria optimization, 51–60, 53
CFRP laminates
  elastic properties of uni-directional lamina, 534
  finite element model, 407–17
  interlaminar modelling, 408–9
  interlaminar stress distribution, 407–17
  numerical analysis of interleaved, 414–15
  stacking sequence of interleaved, 414
  strength ratios of uni-directional lamina, 535
  tensile impact testing, 427–38
  thermal and mechanical fatigue analysis, 339–44
  three-dimensional analytical model, 410–12
  with transverse crack, 407–17

Composite Structures (**25**) (1993) — © 1993 Elsevier Science Publishers Ltd, England. Printed in Great Britain

CFRP plates, 61–7
  elastic flexural analysis, 530
  initial failure response, 533
Characteristic Damage State (CDS), 325
Clamped spherical cap under external pressure, 463
Classical beam theory, 581
Classical lamination theory (CLT), 29, 61, 289, 420, 451, 454–6
Classical plate theory (CPT), 77
Classical sandwich theory (CST), 519
Complementary energy in laminated composites, 330–1
Composite crush cylinders, failure mode of, 37–43
Composite laminates. *See* Laminated composites
Compression after impact (CAI) behaviours of large structures, 268
Compression test monitoring by acoustic emission, 123–8
Compressional behaviour of composite laminates, 427–38
Compressive buckling analysis. *See* Buckling analysis
Compressive buckling strengths of MMC sandwich panels, 234, 235, 236, 239
Concrete beams
  comparison between short and long term behaviour of fibre reinforced and unreinforced, 45–9
  control test data, 45–6
  crack width development, 48
  deflection rates, 49
  long term static loading, 47–9
  mix details, 45
  short term static loading, 46–7
  test details, 46
Concrete-like composites. *See* Cement-based composites
Conditional reliability, 507
Conical sandwich panel without and with hoop stiffeners, 466–7
Continuum damage mechanics (CDM), 420
Crack opening displacement (COD), 422–3
Cracks
  in CFRP laminates, 407–17
  sharp crack in infinite plate, 144–8
  transverse, modelling of, 409–10
  transverse matrix, 191
Creep properties of bonded beam assemblies, 392–4
Cross-ply laminates. *See* Laminated composites
Curing process
  of glass/epoxy, 384
  optimal temperature path and residual stress, 104–6
Curved composite panels, 89–93
Cyclic symmetric method, spur gears, 541–6
Cylindrical bending of cantilever plate, 32
Cylindrical pressure vessels
  design for maximum internal pressure, 306–8
  design for minimum weight, 308–11
  four-layered constant thickness, 310
  four-layered variable thickness, 310
  optimal design problem, 309
  optimal fibre angles and minimum weight, 310
  single-layered constant thickness, 310
  single-layered variable thickness, 310
Cylindrical shells
  ring and stringer stiffened, 477–84
  unified formulation of laminated composite, shear deformable, five-degrees-of-freedom theories, 165–71
  vibration of, 477–84
  see also Ring and stringer stiffened cylindrical shells; Stresses in rotating composite cylindrical shells

Damage dependent dynamic response of laminated composite structures, 69–75
Damage evolution
  in composite laminates, 419
  model, 423–4
Damage mechanics, delamination analysis, 547–55
Damage state, representation of, 420
Damage-tolerant bonded joints, designing for, 201–7
DCB test, 552
Deformation
  analysis of laminated spherical shells, 297–9
  in integrally stiffened layered composite panels, 131
  in laminated composite plates and shells, 173–85
Delamination
  in composite laminates, 407
  in cross-ply laminates due to spherical indenter, 257–65
  in integrally stiffened layered composite panels, 133
  initiated by free edge stresses, 287
  predicted growth sequence
    with surface matrix crack, 263
    without surface matrix crack, 262
  size as function of impact velocity, 251
  size predicted and measured with respect to quasi-impact energy, 263
  strain energy release rates of Modes I, II, and III, 264
  strain energy release with or without surface matrix crack, 262
  typical contact zone with internal crack and/or surface matrix crack, 263
Delamination analysis
  boundary layer problem in, 550–1
  damage mechanics method, 547–55
  fracture mechanics in, 549–50
  free edge of specimen under tension or compression, 553
  laminate modelling for, 548–9
  multi-layer method, 552
  numerical simulations, 552–4
  Riks-like method for, 551
Design
  bolted joints in aircraft structures, 567–78
  buckling of axisymmetric shell panels/shells, 459–67
  damage-tolerant bonded joints, 201–7
Diffusion coefficients, graphite/epoxy composite, 104
Discrete model validation, 282
Dispersion curves of Rayleigh–Lamb waves, 454
Dispersive waves in composites, 449–57
Displacement-based single-layer theories, 22–3
Displacement continuity constraints, 441
Displacement evaluation in spur gears, 542–3
Dynamic Relaxation (DR) algorithm, 532–3
Dynamic Relaxation (DR) technique, 529–39

EDA finite element program, 552, 554
Edge conditions
  effects of in-plane, 368–9
  for laminated Mindlin plates, 532
  for simply supported and clamped plates, 534
  see also Free edge
Edge effects, solution for higher-order laminated plate theory, 495–502
Effective moduli of fibrous composites, 187–92
E-glass polyester unidirectional composite lamina, elastic moduli of, 523
Eigen analysis of fibre-reinforced composite plates, 521–8
Eigenvalues
  measurement of, 523–4
  solutions, 230–1
Eigenvectors, measurement of, 523–4
Elastic foundation model, 512–14
Elastic response of inhomogeneous orthotropic beams with general cross-section and subject to uniform torsion, 587–94
Energy absorption
  effect of laminate lay-up, 41
  effect of trigger configuration, 42–3
Environmental humidity. *See* Humidity effect
Equations of motion
  cantilever beams, 373–6
  high-order laminate theory, 442–4
  in terms of displacements, 478–9
  reduced, 71–2
  solution of, 479–80
  unreduced, 70
Equilibrium equations, in-plane and out-of-plane, 531
Equivalent-single-layer (ESL) laminate theories, 23–4
Euler–Bernoulli beam model, 381

Failure analysis
  angle-ply laminated plates, 529–39
  first-ply. *See* First-ply failure analysis
  in integrally stiffened layered composite panels, 135–6
  large deflection initial, 529–39
  Tsai's first-and last-ply, 14, 15
Failure characteristics for fibres and matrix, 5
Failure criteria
  and Hill's work on plasticity, 5–7
  Black's, 9
  bolted joints, 571–2, 573
  generalized maximum-shear stress, 7
  integrally stiffened layered composite panels, 132
  T-beams, 582–3
  with multiple characterizations, 8
Failure envelopes
  based on Ten-Percent Rule, 12
  for quasi-isotropic carbon-epoxy laminates, 13, 14
Failure mechanisms, biaxial testing in, 7
Failure modes
  characterization of, 4
  combined, 6
  composite crush cylinders, 37–43
  multilayered laminated spherical shells, 295–300
  splaying, 40
Failure prediction for bolted joints, 575–7
Failure probability
  cantilever plate, 510
  simply-supported plate, 509
Failure strength of laminate under in-plane stresses, 214–15
Failure surface for mildly anisotropic materials, 6
Failure theories
  biaxial stresses in, 3–20
  laminate, 11
  major inconsistency in, 17–18
  validation, 7
Fatigue analysis of CFRP laminates, 339–44
Fatigue failures, carbon composite repairs, 557–65
Fibre breaks in plate specimens, 252–3
Fibre composites, impact damage scaling from laboratory specimens to structures, 249–55
Fibre failure criterion, 8
Fibre orientation
  effect in single longitudinal stiffener arrangement, 493
  eigen analysis of laminated plates, 521–8
Fibre-reinforced composite plates
  Eigen analysis of, 521–8
  laminated rectangular, 77–87
  vibration, 521–8
Fibrous composites
  effective moduli of, 187–92
  micro-mechanical damage in, 187–92
  micro-mechanics model for, 188–9
Finite element methods (FEM)
  adhesive-bonded structures, 218–20

Finite element methods (FEM)—*contd.*
buckling, 462
buckling of stiffened panels, 470–1
CFRP laminates with transverse crack, 407–17
comparison with theoretical results, 148–52
damage-dependent response of laminated composite structures, 69–75
fibre-reinforced composite plates, 522
free edge stresses, 129–37
local bending effects in sandwich plates, 516–18
local stress analysis, 572–3
mesh superposition technique, 26–8
sandwich plates, 397–405
spur gears, 541–6
stress field around holes in orthotropic composite plates under in-plane conditions, 148–52
stress redistribution, 270–1
T-beams, 583
thermal buckling of bimodular sandwich beams, 345–8
three-dimensional, 495–502, 541–6
Finite element models, 279
integrally stiffened layered composite panels, 130
Finite strip method (FSM)
applications, 358–61
buckling and free vibration of prismatic shell structures, 353
buckling of stiffened plates, 485–94
general application, 354
shell equations, 354–5
solution procedure, 357–8
strip displacement field, 356–7
strip matrices, 357
superstrips, 357
First-order plate theory, 22
First-order shear deformation theory (FSDT), 29–30, 452, 455, 456, 495, 587
First-ply failure analysis (FPF), 17–18, 296, 299, 302
criteria, 296, 301, 303
limit loads, 302
pressures, 300
resistance, 300
Flanges
curved flange failure repair, 562–3
tapered flange failure repair, 563–4
Flügge's theory of shells, 305
Flutter analysis of cantilevered curved composite panels, 89–93
Force evaluation, spur gears, 542–3
Fracture behaviour
interleaved CFRP laminates, 416
laminates, 40–1
quasi-isotropic CFRP laminate, 413
Fracture development
interleaved CFRP laminates, 416
resin layers, 412
Fracture mechanics, in delamination analysis, 549–50
Fracture toughness, free edge, 287
Fragmentation failure mode, 40
Free edge
delamination, 553
effects in integrally stiffened layered composite panels, 129–37
fracture toughness, 287
Free edge finishing, effect on tensile strength of carbon/epoxy laminates, 287–303
Free edge problem, description of, 340
Free edge stresses, 30–1
delamination initiated by, 287
finite element methods, 129–37
Frequency parameter, 83, 84, 85, 86
Frequency response function, 522
Frequency response spectrum (FRS), 523
Friction, effect of motion parameters on final temperature of, 198
Friction coefficient, effect of motion parameters, 196

Gaussian quadrature, 279
GFRP
tensile impact testing, 427–38
use of panels in wet environment, 95–100
GFRP panels, degradation behaviour immersed in hot water, 95
GFRP plates, elastic flexural analysis, 530
Glass/epoxy
curing process of, 384
in-plane shear modulus, 190
stiffness loss in laminates, 424
stiffness reduction, 191
stress–strain curves, 425
Global finite difference (GFD) approximation, 282
Global–local analysis, with variable kinematic elements, 30–1
Global–local finite element analysis, 26
Global–local solution efficiency, 27
Global–local strategies, 25–6
Graphite/epoxy composite, 101–11
diffusion coefficients, 104
in-plane shear modulus, 190
linear elastic analysis, 103
longitudinal elastic modulus, 189
numerical analysis, 106–7
swelling coefficients, 104
thermal expansion coefficients, 104
transverse elastic modulus, 189
transverse Poisson's ratio, 190
transverse shear modulus, 190
viscoelastic analysis, 103–4
viscoelastic properties, 104
Graphite/epoxy laminates
stiffness loss, 424
stress–strain curves, 424

Hasofer–Lind method, 507
Helicopters, carbon composite repairs of metallic primary structures, 557–65
Higher-order shear deformation theory, 495
Holes
circular, elliptical hole in infinite plate, 144–8
see also Stress field around holes in orthotropic composite plates under in-plane conditions
Homogeneous plate, surface impedance tensor of, 450–1
Hoop stiffeners, 466–7
Humidity effect
on optimal temperature path, 101–11
theoretical analysis, 103
HYSOL EA 9309.2 NA adhesive, 320

IDEAS code, 261
Image analysis, post-impact, 123
Impact damage
creation of, 116
evaluation on advanced stitched composites, 121–8
examination of, 116–17
in fibre composites, scaling from laboratory specimens to structures, 249–55
modelling, 269–70
residual strength, 267–75
scaling of, 251–4
stiffness, 267–75
X-ray results, 117–19
see also Spherical indenter
Impact tests
measured delamination size as function of plate size in scaled dynamic tests, 251
stitched composites, 122–3
Inhomogeneous laminates, efficiency of, 366
In-plane shear modulus
glass/epoxy, 190
graphite/epoxy, 190
In-plane stresses
in sandwich plates, 501
see also Stress field around holes in orthotropic composite plates under in-plane conditions
In-stresses, failure strength of laminate under, 214–15
Interface shearing stress in laminated composites, 328
Interlaminar normal stress distribution, 31–2
Interlaminar shear stress distribution, 31–2
Interlaminar stresses, 23
continuity of, 168–70
in integrally stiffened layered composite panels, 130–1
Internal state variables (ISV), 69–71, 419–23
Isotropic plates, stress and strength analysis, 213

Kirchhoff–Love theory, 495–502
Koiter–Sanders thin shell theory, 354

Lagrange interpolation functions, 24
Laminar coordinate system, 278
Laminate lay-up, 37–43
effect on specific energy absorption, 41
Laminate modelling for delamination analysis, 548–9
Laminate theories, 21–35
Laminated beams
cross-ply, 371–9
dynamic behaviour, 371–9
rectangular multi-layered cross-section, 589–91
torsional response of inhomogeneous and multi-layered, 587–94
with piezoelectrical layers as open-loop control system, 376
Laminated composites
axial stiffness loss, 332–3
clamped supports, 365
complementary energy in, 330–1
cross-ply, 257–65
maximum stresses and displacement in, 446
simply supported, 444–5
stiffness loss in, 419–25
damage dependent dynamic response of, 69–75
failure theories, 11
geometry, local coordinate system and loading condition of three-layer, 447
high-order deformable theory, 439–48
high strain rate compressional behaviour, 427–38
influence of pre-buckling stress-field on critical loads, 363–9
interface shearing stress in, 328
material properties of plate specimens, 277–85
matrix cracking in, 325–37
nonlinear higher-order theory for plates and shells, 173–85
prismatic shell structures, 353–62
shearing stress distribution in, 326–8
simply supported, 365
stacking sequence effect on tensile fracture stress of, 290
statically admissible stress field in, 328–30
stitched and unstitiched, 427–38
stress distribution in, 331–2
tensile and compressive quasi-static properties, 430
tensile damage analysis method for, 61–7
with moulded edges, 288
Laminated cylindrical panels. *See* Metal matrix composites (MMC)
Laminated cylindrical pressure vessels, optimization of, 305–12
Laminated plates
adhesive interface element for bonding, 217–25
angle-ply, 529–39

Laminated plates—*contd.*
centre deflection of clamped patched, under uniform transverse load, 224
edge solution for higher-order laminated plate theory, 495–502
limit state equation for, 506
Rayleigh–Lamb wave dispersion spectrum of, 449–57
reliability analysis, 503–10
see also Nonlinear analysis of laminated composite plates and shells
Laminated pressure vessels, optimization of, 305
Laminated spherical shells, deformation analysis of, 297–9
Last-ply failures (LPF), 17–18, 299
Layerwise theory, 24–5
accuracy of, 28–30
Lightening hole failure repair, 557–62
Limit load carrying capacity (LLCC) for spherical laminated shells under external pressure, 295–303
Limit state equation for laminated plates, 506
Linear elastic analysis of graphite/epoxy composite, 103
Love–Kirchhoff hypothesis, 22, 296

Material properties
identification examples, 282–4
plate specimens, 277–85
MATHEMATICA program, 495, 498
Matrix cracking
in cross-ply laminates due to spherical indenter, 257–65
in integrally stiffened layered composite panels, 135
in laminated composites, 325–37
Matrix failures, 8–9
Maximum strain failure model, 12
for fibre–polymer composites, 9
Maximum stresses and displacement
in cross-ply laminates, 446
in simply supported square sandwich plates, 448
Mechanical properties
carbon/epoxy pre-impregnated material, 289
identification optimization problem, 280–1
plate specimens, 277–85
unidirectional laminates, 383
Meridional stiffener element (MSE), 459, 467
Metal matrix composites (MMC)
constitutive equations, 242
imperfection sensitivity of laminated cylindrical panels, 241
macromechanical analysis, 242–4
material properties of laminated face sheets, 232
micromechanical analysis, 242
postbuckling behaviour of, 241–8
response of elastic–viscoplastic cylindrical panel to axial loading, 242–4
sandwich panels, 227–39
Micro-mechanical damage in fibrous composites, 187–92
Micro-mechanics, 4
Micro-mechanics model for fibrous composites, 188–9
Mindlin laminated plate, DR solution of governing equations, 532–3
Mindlin large deflection plate equations, 530–2
Mindlin plate model, 278
MMFG EXTREN 500/525 series, 388
MMFG series 500/525 flat sheet, 389
MMFG series 500/525 structural shapes, 389
Moisture content, equilibrium, 102–3
Moisture diffusion, governing equation, 101–2
Moisture diffusion coefficient, 102–3
Moisture sorption, swelling strain due to, 102
Motion parameters, effect on tribological behaviour of PTFE-based composites, 193–9
Moulded edges, laminates with, 288
MSC/NASTRAN, 270

Multi-layered composite plate, surface impedance tensor of, 451

Newmark integration operator, 70, 71
Nonlinear analysis of laminated composite plates and shells, 173–85
derivation of kinematic hypotheses, 173–80
higher-order theory, 180–2
numerical results, 182–4
Normal deformation, effects in laminated composite plates and shells, 173–85

Orthotropic composite plates
bolted joints under uniform loading, 209
stress and strength analysis, 213
see also Stress field around holes in orthotropic composite plates under in-plane conditions

Parallel circle stiffener element (PCSE), 459, 467
PATRAN finite element code, 470, 474
Penetrant enhanced deply, 117
Penetrant enhanced radiography, 117
Piezoelectric layer as open-loop control system, 376
Piezoelectric materials
electro-mechanical property of, 383
tip response excited by, 386
vibration of aerospace composite structures with, 381–6
Piola–Kirchhoff stress vector, 504
Plasticity, Hill's theory of, 5
Ply angle, 509–10
Ply cracks
techniques for inserting, 115
test results, 115–16
Ply failure
analysis for thin-walled structures, 296–7
in integrally stiffened layered composite panels, 134–5
Poisson's effect, 61
Poisson's ratio, 70, 190, 508
Polytetrafluoroethylene. *See* PTFE
Postbuckling. *See* Buckling
Post-cure optimal cool-down path, 101–11
Pre-buckling. *See* Buckling
Pressure vessels
optimization of, 305–12
see also Cylindrical pressure vessels
Primary Adhesively Bonded Structure Technology (PABST) program, 201–7
PTFE-based composite, effect of motion parameters on tribological behaviour, 193–9
Pultruded beam assemblies, adhesive bonding, 387–95

Quadratic failure criterion, 130
Quadratic isoparametric elements, 213
Quadratic stress criterion, 133
Quadrilateral shell finite element, 90
Quasi-isotropic carbon-epoxy laminates, failure envelope for, 13, 14
Quasi-isotropic CFRP plates, 62
Quasi-three-dimensional model, 62
basic concept, 62
example of, 62
top figure of, 62

Radial constraint, effect on dynamic properties of composite laminates, 427–38
Rayleigh–Lamb waves
dispersion curves, 454
dispersion spectrum of laminated plates, 449–57
Rayleigh–Ritz method, 77–87, 227
applications, 82–5
Reddy's refined third-order theory (RSDT), 452, 455, 456
Reissner–Mindlin theory, 495, 587

Reliability analysis of laminated composite plate structures subject to large deflections under random static loads, 503–10
Repairs of helicopter metallic primary structures, 557–65
Repeated sublaminate construction, 460–1
Residual life characterization by acoustic emission, 125–8
Residual strength
damaged specimens, 119
effect of test panel size/configuration, 268
impact damaged composites, 267–75
Riks-like method for delamination analysis, 551
Ring and stringer stiffened cylindrical shells, 463–6
reduction to smeared case, 480
vibration of, 477–84
Ritz vectors, 69, 72, 73
Robots. *See* Anthropomorphic robot
Rotating cylindrical shells. *See* Stresses in rotating composite cylindrical shells

St Venant problem, 587
Sandwich beams
bimodular, 345
clamped at both ends, 350–1
hinged at both ends, 348–50
thermal buckling of bimodular three-layer, 345–52
Sandwich panels, metal matrix composites, 227–39
Sandwich plates
bending effects in, 511–20
clamped edge, 495–502
edge solution for higher-order laminated plate theory, 495–502
elastically supported, specially orthotropic face, 512
end effects, 497
finite element formulation, 399–400
finite element methods, 397–405
geometrical and material properties, 498
high-order deformable theory, 439–48
in-plane stresses in, 501
simply supported, 495–502
simply supported square, 448
theory, 397–9
transverse displacement in, 500
transverse shear stresses in, 501
with orthotropic face layers subjected to localized loads, 511–20
Scaling effects on residual strength of impact damaged composites, 267, 268–9
SCARA robot arm, 314
Sensitivity analysis, 281–2
Shear buckling. *See* Buckling; Buckling analysis
Shear correction factors, 22
Shear deformation plate theory (SDPT), 77, 79
Shear stresses
distribution in laminated composites, 326–8
distribution through thickness of laminated plate, 447
effects in laminated composite plates and shells, 173–85
Shell structures
axisymmetric, 459–67
thin laminated prismatic, 353–62
see also Nonlinear analysis of laminated composite plates and shells
SiC/Ti metal matrix laminated panels, postbuckling response of, 244
Single-layer plate theories, 21
Smart structures, 381–6
C-scan plot, 384
modal testing, 385
natural frequency, 385
specimen geometry and cross-section, 383
static and vibration test, 383–5
Smeared case for closely spaced stiffeners, 480
Spherical indenter, delamination growth due to, 257

Spherical shells
buckling of, 299
displacement of, 298
limit load carrying capacity under external pressure, 295–303
Splaying failure mode, 40
Split Hopkinson pressure bar (SHPB) apparatus, 427
Spur gears
cyclic symmetric method, 541–6
displacement evaluation, 542–3
finite element methods, 541–6
force evaluation, 542–3
static stress analysis, solution procedure, 543
stiffness description, 542
stress analysis of, 541–6
Stacking sequence effect, 278
eigen analysis of laminated plates, 521–8
interleaved CFRP laminates, 414
tensile fracture stress of laminates, 290
with woven fabrics, 292
Statically admissible stress field in laminated composites, 328–30
Stiffened panels, buckling of, 469–76
Stiffness, impact damaged composites, 267–75
Stiffness description, spur gears, 542
Stiffness loss
axial, in laminated composites, 332–3
in cross-ply composite laminates, 419–25
Stitched composites
compression load *vs.* impact energy, 127
compression test monitoring by acoustic emission, 123–8
impact damage evaluation, 121–8
impact tests, 122–3
residual life characterization by acoustic emission, 125–8
Strain–displacement relationships, 440
Strain rate, effect on dynamic properties of composite laminates, 427–38
Strength analysis of bolted joints, 212–13
Strength characterization, measurements needed for, 4
Stress analysis
adhesive-bonded structures, 217
bolted joints, 210–12, 568–72
spur gears, 541–6
using fixed contact stress distribution, 571
Stress concentration factor
and impact damage residual strength, 271
around circular hole in infinite composite plate, 274
for centre-hole plate with Al-ring patch, 224
for centre-hole plate with boron-ring patch, 224
parametric study, 274
Stress concentration *vs.* percentage of stiffness retained impact damage area, 273
Stress conditions, in-plane. *See* Stress field around holes in orthotropic composite plates under in-plane conditions
Stress distribution
four-stringer panel, 273
in laminated composites, 331–2
Stress distribution—*contd.*
interlaminar, in CFRP laminates, 407–17
test coupon, 272
two-stringer panel, 272
Stress field around holes in orthotropic composite plates under in-plane conditions, 139–56
comparison between theoretical and FEM results, 148–52
fundamental equations, 140–3
theoretical formulation, 140–8
Stress redistribution, finite element method, 270–1
Stress–strain curves
glass–epoxy laminates, 425
graphite–epoxy laminates, 424
unidirectional GFRP specimens, 431
Stresses in rotating composite cylindrical shells, 157–64
analysis, 159–61
basic equations, 158–9
examples, 162–3
simple model, 161–2
theory, 157–62
Sublaminate coding, 460–1
Surface impedance tensor
homogeneous plate, 450–1
multilayered composite plate, 451
Swelling coefficients, graphite/epoxy composite, 104
Swelling strain due to moisture sorption, 102

T-beams
bending behaviour, 579–86
fabrication, 580–1
failure criteria, 582–3
finite element methods, 583
flexural tests, 581
materials, 580
simplified theory, 581
subjected to very high loading, 579–86
Temperature effects
compressive and shear buckling analysis of metal matrix composite sandwich panels, 227–39
final temperature of friction, 198
theoretical analysis, 103
see also Buckling, thermal
Ten-Percent Rule, 7, 9–13
failure envelopes according to, 12
Tensile damage analysis
holed laminates, 65–6
laminates, 61–7
virgin laminates, 63–5
Tensile properties of interleaved CFRP laminates, 416
Tensile strength of carbon/epoxy laminates, 287
Thermal expansion coefficients, 348
graphite/epoxy composite, 104
Thin-walled structures, ply failure analysis for, 296–7
Third-order shear deformation theory (TSDT), 451, 455, 456
Third-order theory of Reddy, 22
Torsion problem of orthotropic beams, 588–9
Torsional response of inhomogeneous and multilayered beams, 587–94
Torsional response of sandwich isotropic and orthotropic cross-sections, 591–3
Touratier theory, 495–502
Tracer coefficients associated with different thin shell theories, 478
Traction continuity constraints, 441
Transverse cracks in damaged layer, 421
Transverse displacement, in sandwich plates, 500
Transverse shear, effects in laminated composite plates and shells, 173–85
Transverse shear stresses in sandwich plates, 501
Tresca criterion, 6
Tribological behaviour of PTFE-based composites, 193–9
Trigger configuration, 37–43
effect on energy absorption, 42–3
effect on peak load, 41
Truncated maximum-strain theory, 8
Tsai–Hill failure criterion, 305, 529–39
Tsai–Wu criterion, 130, 133, 134
Tsai–Wu 'failure theory', 17
Tsai–Wu 'last-ply' failure model, 10

Unidirectional composite materials, 300–2
Unidirectional laminates, mechanical properties of, 383

Variable kinematic elements and mesh superposition, 32–3
Variable kinetic finite elements, 25–6
Vibration
aerospace composite structures with piezoelectric materials, 381–6
fibre-reinforced composite laminated rectangular plates, 77
fibre-reinforced composite plates, 521–8
isotropic cantilever cylinders, 359
isotropic clamped curved plates, 358
thin laminated composite prismatic shell structures, 353–62
thin-walled circular cylindrical shells, 477–84
two-layered simply supported curved plates, 358–9
Vinson index convention, 278
Viscoelastic analysis, graphite/epoxy composite, 103–4
Viscoelastic properties, graphite/epoxy composite, 104
von Karman plate theory, 504
von Mises' criterion, 6

Wear intensity, effect of motion parameters, 196
Weibull distributions, 507–9
Weight change mechanism
effect of degradation of fibre/matrix interface on, 98–9
of GFRP panel immersed in hot water, 95–100
Winkler foundation model, 511
Woven roving composite materials, 299–300